



TM-85


- 跑步面积 /Walking Area L×W: 280×850mm
- 跑带厚度 /Run Surface Thickness: 12mm
- 跑板厚度 /Run Board Thickness: 12mm
- 最大承重 /Allowable Weight: 80kg
- 速度范围 /Speed range: 0.8-6km/h
- 马达 /Horse: 200W
- 窗口显示 /Show in window: LED 显示 (速度、时间、距离、卡路里) / Speed、Time、Distance、Calories
- 毛净重 /G.W/NW: 21/19kg
- 展开尺寸 /Expanded dimensions: 1100×420×930mm
- 包装尺寸 /Dimension L×W×H: 1120×210×440mm
- 装箱数 /Container load(QTY): 260pcs/20' 530pcs/40' 634pcs/40' HQ



TM-105

- 跑步面积 /Walking Area L×W: 340×1050mm
- 跑带厚度 /Run Surface Thickness: 16mm
- 跑板厚度 /Run Board Thickness: 15mm
- 最大承重 /Allowable Weight: 100kg
- 速度范围 /Speed range: 0.8-10km/h
- 马达 /Horse: 175HP
- 窗口显示 /Show in window: LED 显示 (速度、时间、距离、卡路里) / Speed、Time、Distance、Calories
- 毛净重 /G.W/NW: 36/32kg
- 展开尺寸 /Expanded dimensions: 1280×500×980mm
- 包装尺寸 /Dimension L×W×H: 1300×180×520mm
- 装箱数 /Container load(QTY): 224pcs/20' 468pcs/40' 540pcs/40' HQ






TM-145

- 跑步面积 /Walking Area L×W: 400×1450mm
- 跑带厚度 /Run Surface Thickness: 16mm
- 跑板厚度 /Run Board Thickness: 15mm
- 最大承重 /Allowable Weight: 100kg
- 速度范围 /Speed range: 0.8-10km/h
- 马达 /Horse: 175HP
- 窗口显示 /Show in window: LED 显示 (速度、时间、距离、卡路里) / Speed、Time、Distance、Calories
- 毛净重 /G.W/NW: 45/40kg
- 展开尺寸 /Expanded dimensions: 1680×560×980mm
- 包装尺寸 /Dimension L×W×H: 1690×210×580mm
- 装箱数 /Containet load(QTY): 120pcs/20' 240pcs/40' 284pcs/40' HQ

TM-145L

- 跑步面积 /Walking Area L×W: 400×1450mm
- 跑带厚度 /Run Surface Thickness: 16mm
- 跑板厚度 /Run Board Thickness: 15mm
- 最大承重 /Allowable Weight: 100kg
- 速度范围 /Speed range: 0.8-10km/h
- 马达 /Horse: 175HP
- 窗口显示 /Show in window: LED 显示 (速度、时间、距离、卡路里、升降档位) / Speed、Time、Distance、Calories、Incline
- 毛净重 /G.W/NW: 51/46kg
- 展开尺寸 /Expanded dimensions: 1680×560×980mm
- 包装尺寸 /Dimension L×W×H: 1690×210×580mm
- 装箱数 /Containet load(QTY): 120pcs/20' 240pcs/40' 284pcs/40' HQ





TM-180L

- 跑步面积 /Walking Area L×W: 460×1770mm
- 跑带厚度 /Run Surface Thickness: 16mm
- 跑板厚度 /Run Board Thickness: 15mm
- 最大承重 /Allowable Weight: 110kg
- 速度范围 /Speed range: 0.8-12km/h
- 马达 /Horse: 3HP
- 窗口显示 /Show in window: 液晶显示 (速度、时间、距离、卡路里、升降档位) /
Speed、Time、Distance、Calories、Incline
- 毛净重 /G.W/N.W: 72/60kg
- 展开尺寸 /Expanded dimensions: 2000×620×1140mm
- 包装尺寸 /Dimension L×W×H: 2060×680×210mm
- 装箱数 /Container load(QTY): 80pcs/20' 160pcs/40' 192pcs/40' HQ



TM-180M

- 跑步面积 /Walking Area L×W: 460×1770mm
- 跑带厚度 /Run Surface Thickness: 16mm
- 跑板厚度 /Run Board Thickness: 15mm
- 最大承重 /Allowable Weight: 110kg
- 速度范围 /Speed range: 0.8-12km/h
- 马达 /Horse: 3HP
- 窗口显示 /Show in window: 液晶显示 (速度、时间、距离、卡路里) /
Speed、Time、Distance、Calories
- 毛净重 /G.W/N.W: 85/73kg
- 展开尺寸 /Expanded dimensions: 2000×620×1140mm
- 包装尺寸 /Dimension L×W×H: 2060×680×210mm
- 装箱数 /Container load(QTY): 80pcs/20' 160pcs/40' 192pcs/40' HQ




TM-260M

- 跑步面积 /Walking Area L×W: 680×2595mm
- 跑带厚度 /Run Surface Thickness: 18mm
- 跑板厚度 /Run Board Thickness: 15mm
- 最大承重 /Allowable Weight: 150kg
- 速度范围 /Speed range: 0.8-12km/h
- 马达 /Horse: 5HP
- 窗口显示 /Show in window: 液晶显示 (速度、时间、距离、卡路里) / Speed、Time、Distance、Calories
- 毛净重 /G.W/NW: 155/133kg
- 展开尺寸 /Expanded dimensions: 2860×870×1240mm
- 包装尺寸 /Dimension L×W×H: 2920×920×250mm
- 装箱数 /Container load(QTY): 36pcs/20' 72pcs/40' 80pcs/40' HQ



TM-260ML

- 跑步面积 /Walking Area L×W: 680×2595mm
- 跑带厚度 /Run Surface Thickness: 18mm
- 跑板厚度 /Run Board Thickness: 15mm
- 最大承重 /Allowable Weight: 150kg
- 速度范围 /Speed range: 0.8-12km/h
- 马达 /Horse: 5HP
- 窗口显示 /Show in window: 液晶显示 (速度、时间、距离、卡路里、升降档位) / Speed、Time、Distance、Calories、Incline
- 毛净重 /G.W/NW: 157/135kg
- 展开尺寸 /Expanded dimensions: 2860×870×1240mm
- 包装尺寸 /Dimension L×W×H: 2920×920×250mm
- 装箱数 /Container load(QTY): 36pcs/20' 72pcs/40' 80pcs/40' HQ





TM-105CK

- 跑步面积 /Walking Area L×W: 280×850mm
- 跑带厚度 /Run Surface Thickness: 12mm
- 跑板厚度 /Run Board Thickness: 12mm
- 最大承重 /Allowable Weight: 80kg
- 速度范围 /Speed range: 0.8-6km/h
- 马达 /Horse: 200W
- 窗口显示 /Show in window: LED 显示 (速度、时间、距离、卡路里、测心率) /
Speed、Time、Distance、Calories、Program
- 毛净重 /G.W/N.W: 33/30kg
- 展开尺寸 /Expanded dimensions: 1100×420×980mm
- 包装尺寸 /Dimension L×W×H: 1120×340×440mm
- 装箱数 /Containet load(QTY): 160pcs/20' 330pcs/40' 382pcs/40' HQ

